

## DEPARTMENT OF MICROBIOLOGY ISPAT GENERAL HOSPITAL SAIL, RSP, ROURKELA

# COVID-19 (RT-PCR) Test Report

Date and time of reporting	28.09.2021; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	28.09.2021; 09:00 A.M.
Date & Time of receipt of specimen	28.09.2021; 02:30 P.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/152664	Madan Sinha	63	М	Nasal Swab	28.09.2021	Negative	9776460862	RGH,IPD, Rourkela
2	Cov/152665	Jhulu Badhai	80	М	Nasal Swab	28.09.2021	Negative	7205352567	RGH,IPD, Rourkela
3	Cov/152666	Kunal Paswan	23	М	Nasal Swab	28.09.2021	Negative	7681862349	RGH,IPD, Rourkela
4	Cov/152667	Prafull Bankar	59	М	Nasal Swab	28.09.2021	Negative	9777382286	RGH,IPD, Rourkela
5	Cov/152668	Khirod Mahato	45	М	Nasal Swab	28.09.2021	Negative	8917599667	RGH,IPD, Rourkela
6	Cov/152669	Gopal Chandra Naik	37	М	Nasal Swab	28.09.2021	Negative	9337256783	RGH,IPD, Rourkela
7	Cov/152670	Sarojini Biswal	80	F	Nasal Swab	28.09.2021	Negative	9078709998	RGH,OPD, Rourkela
8	Cov/152671	Srimati Singh	57	F	Nasal Swab	28.09.2021	Negative	8280452072	RGH,OPD, Rourkela
9	Cov/152672	Kiran Bala Nayak	28	F	Nasal Swab	28.09.2021	Negative	7846508990	RGH,IPD, Rourkela
10	Cov/152673	Fagu Handah	22	М	Nasal Swab	28.09.2021	Negative	6371788602	RGH,IPD, Rourkela
11	Cov/152674	Sushila Tanty	35	F	Nasal Swab	28.09.2021	Negative	8260488276	RGH,IPD, Rourkela
12	Cov/152675	Karunakar Nayak	50	М	Nasal Swab	28.09.2021	Negative	7008458127	RGH,IPD, Rourkela
13	Cov/152676	Bimla Mahato	47	F	Nasal Swab	28.09.2021	Negative	9337702137	RGH,IPD, Rourkela
14	Cov/152677	Pooja Nayak	20	F	Nasal Swab	28.09.2021	Negative	8658807327	RGH,IPD, Rourkela
15	Cov/152678	Baby Kanpan	20	F	Nasal Swab	28.09.2021	Negative	9861909713	RGH,IPD, Rourkela
16	Cov/152679	Dulari Lohar	25	F	Nasal Swab	28.09.2021	Negative	8658003773	RGH,IPD, Rourkela
17	Cov/152680	Masant Ram Tanty	59	М	Nasal Swab	28.09.2021	Negative	8457009138	RGH,IPD, Rourkela
18	Cov/152681	Purnima Kishan	40	F	Nasal Swab	28.09.2021	Negative	7608855890	RGH,IPD, Rourkela
19	Cov/152682	Lalit Bag	22	F	Nasal Swab	28.09.2021	Negative	9668675082	RGH,IPD, Rourkela
20	Cov/152683	Saru Bag	22	F	Nasal Swab	28.09.2021	Negative	7735859313	RGH,IPD, Rourkela
21	Cov/152684	Deepak Shrivastav	16	М	Nasal Swab	28.09.2021	Negative	9090941358	RGH,IPD, Rourkela
22	Cov/152685	Maya Badaik	45	F	Nasal Swab	28.09.2021	Negative	7751990206	RGH,IPD, Rourkela

23	Cov/152686	Ankita Kullu	15	F	Nasal Swab	28.09.2021	Negative	7008454824	RGH,IPD, Rourkela
24	Cov/152687	Shrabani Mallik	11	F	Nasal Swab	28.09.2021	Negative	7749005525	RGH,IPD, Rourkela
25	Cov/152688	Sangita Singh	33	F	Nasal Swab	28.09.2021	Negative	7894144740	RGH,OPD, Rourkela
26	Cov/152689	Ankita Mohanti	35	F	Nasal Swab	28.09.2021	Negative	7045210941	RGH,OPD, Rourkela
27	Cov/152690	Rozy Tabassum	45	F	Nasal Swab	28.09.2021	Negative	8327705501	RGH,OPD, Rourkela
28	Cov/152691	Shahbaz Sarif Alam	22	М	Nasal Swab	28.09.2021	Negative	8327705501	RGH,IPD, Rourkela

#### Prepared by:



#### Krishna Ch. Majhi

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

• Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.

- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.

• Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*

• A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.

• Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

### Checked and Approved by:

# BI

#### **Dr. Ashit Bhusan Xess**

डा. अशीत भूषन खेस Dr. ASHIT BHUSAN XESS Consultant Microbiologist SAIL, RSP, IGH, Rourkea