



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of referral	28.10.2022; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	27.10.2022; 09:00 A.M.
Date & Time of receipt of specimen	28.10.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/311521	2137301448789	Bipin Bihari Badajena	53	M	Nasal Swab	28.10.2022	Negative	9777537220	E-56 Basanti Colony RKL
02	Cov/311522	2137301448791	Intazar Nazish	37	M	Nasal Swab	28.10.2022	Negative	9238577563	Ispat Hadwar School Main Road
03	Cov/311523	2137301448796	Megha Satpathy	26	F	Nasal Swab	28.10.2022	Negative	9438075367	C-24 Sector-19 RKL
04	Cov/311524	2137301448799	Chinmoy Samant	26	M	Nasal Swab	28.10.2022	Negative	9437117138	A-480 Koelnagar RKL
08	Cov/311525	2137301448801	Sushila Devi	62	F	Nasal Swab	28.10.2022	Negative	7978831202	ST-513 Basanti Colony RKL
06	Cov/311527	2137301448813	Dr Rajesh Bajaj	66	M	Nasal Swab	28.10.2022	Negative	9437082800	Vesaj Hospital Civil Township RKL
07	Cov/311528	2137301448816	Suman Bajaj	60	F	Nasal Swab	28.10.2022	Negative	9437082800	Vesaj Hospital Civil Township RKL
08	Cov/311529	2137301448820	Tavish Sehgal	4	M	Nasal Swab	28.10.2022	Negative	9437082800	Vesaj Hospital Civil Township RKL
09	Cov/311530	2137301448822	Vikas Harish Chandra	39	M	Nasal Swab	28.10.2022	Negative	9437082800	Vesaj Hospital Civil Township RKL

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR