



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	29.01.2021; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	25.01.2021; 09:00 A.M.
Date & Time of receipt of specimen	26.01.2021; 09:30 P.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/238876	2137301121581	Manjulata Das	57	F	Nasal Swab	29.01.2022	Negative	9563756018	Nayabazar RKL
2	Cov/238877	2137301121588	Tikeswar Kishan	20	M	Nasal Swab	29.01.2022	Negative	8917247926	Hatikucha K Balang SNG
3	Cov/238878	2137301121688	Sarita Tirkey	21	F	Nasal Swab	29.01.2022	Negative	9692278237	Gabira Kuarmunda SNG
4	Cov/238879	2137301121705	Susant Kumar Pradhan	36	M	Nasal Swab	29.01.2022	Negative	9437955410	Sector 19 Pwd/47 RKL
5	Cov/238880	2137301122813	Pradeep Kumar Pradhan	50	M	Nasal Swab	29.01.2022	Negative	7001152413	H-268 Side Sector-1 RKL
6	Cov/238881	2137301121973	Deonandan Sharma	50	M	Nasal Swab	29.01.2022	Negative	6371519248	Gadhatoli RKL SNG
7	Cov/238882	2137301121996	Nibedita Biswal	38	F	Nasal Swab	29.01.2022	Negative	8618490368	Koelnagar RKL
8	Cov/238883	2137301122011	Ashish Biswal	26	M	Nasal Swab	29.01.2022	Negative	8618490368	Koelnagar RKL
9	Cov/238884	2137301122021	Tapan Ray	42	M	Nasal Swab	29.01.2022	Negative	7609803546	Panposh RKL SNG
10	Cov/238885	2137301122036	Ajay Singh	23	M	Nasal Swab	29.01.2022	Negative	8144148425	Chhend C3M 147 RKL
11	Cov/238886	2137301122058	Regina Topno	37	F	Nasal Swab	29.01.2022	Negative	9931832456	Ms Palli RKL
12	Cov/238887	2137301122071	Manoj Mallick	48	M	Nasal Swab	29.01.2022	Negative	9437951180	Sector 6 Vss Palli RKL
13	Cov/238888	2137301122087	M J Rao	64	M	Nasal Swab	29.01.2022	Negative	7008272977	Railway Colony RKL
14	Cov/238889	2137301122109	Nagendra Singh	42	M	Nasal Swab	29.01.2022	Negative	7638891048	Jalda C Block RKL
15	Cov/238890	2137301122120	Subhadra Jena	36	F	Nasal Swab	29.01.2022	Negative	9078932335	Nayabazar RKL
16	Cov/238891	2137301122131	Gouri Sahw	36	F	Nasal Swab	29.01.2022	Negative	9078932335	Nayabazar RKL
17	Cov/238892	2137301122144	Ashok Kumar	38	M	Nasal Swab	29.01.2022	Negative	9078932335	Nayabazar RKL
18	Cov/238893	2137301123372	Shyam Dulari	75	F	Nasal Swab	29.01.2022	Negative	7008904463	Ph Road RKL
19	Cov/238894	2137301123385	Saban Marndi	27	M	Nasal Swab	29.01.2022	Negative	7735011509	Bondamunda Disel Chowk
20	Cov/238895	2137301123390	Ramesh Chandra	59	M	Nasal Swab	29.01.2022	Negative	9778546651	Sector 18 F-11 RKL
21	Cov/238896	2137301123400	Rasmi Ranjan Kansa	38	M	Nasal Swab	29.01.2022	Negative	8895571661	Osap RKL SNG
22	Cov/238897	2137301123411	Sunil Kumar	30	M	Nasal Swab	29.01.2022	Negative	7903305788	Jagda Saint Marry RKL

23	Cov/238898	2137301123426	Ajit Kumar Mohanta	40	M	Nasal Swab	29.01.2022	Negative	9399064197	Ftc RKL SNG
24	Cov/238899	2137301123433	Manish Prasad	32	M	Nasal Swab	29.01.2022	Negative	8092449942	Civil Township Aa/5 RKL
25	Cov/238900	2137301123446	Arati Sahoo	48	F	Nasal Swab	29.01.2022	Negative	7873399770	Panposh RKL
26	Cov/238901	2137301123455	Priyanka Pryadarsani	22	F	Nasal Swab	29.01.2022	Negative	7377811678	Jagda RKL SNG
27	Cov/238902	2137301123465	Rakesh Behera	42	M	Nasal Swab	29.01.2022	Negative	6372910801	STI Rourkela

Prepared by: _____

Checked and Approved by: _____



Krishna Ch. Majhi



Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.



Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR