



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	29.07.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	28.07.2022; 09:00 A.M.
Date & Time of receipt of specimen	29.07.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/287447	2137301351057	Samrendra Sekhar Deo	38	M	Nasal Swab	29.07.2022	Negative	9776924552	O/26 Civil Township, Rourkela
02	Cov/287448	2137301351072	Vigyani Sekhar Deo	38	F	Nasal Swab	29.07.2022	Negative	9776924552	O/26 Civil Township, Rourkela
03	Cov/287449	2137301351089	Samagyani Sekhar Deo	9	F	Nasal Swab	29.07.2022	Negative	9776924552	O/26 Civil Township, Rourkela
04	Cov/287450	2137301351097	Anjali Mishra	25	F	Nasal Swab	29.07.2022	Negative	8249548917	BE-29 Basanti Colony, Rourkela
05	Cov/287451	2137301351112	Mukesh Sekhar	29	M	Nasal Swab	29.07.2022	Negative	8249548917	BE-29 Basanti Colony, Rourkela
06	Cov/287452	2137301351834	Jyotishree Hota	28	F	Nasal Swab	29.07.2022	Negative	7978244209	SSB Hall, NIT., Rourkela

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR