



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	29.10.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	28.10.2022; 09:00 A.M.
Date & Time of receipt of specimen	29.10.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/311737	2137301449536	Jose Francisco Hernandez	31	M	Nasal Swab	29.10.2022	Negative	7077588095	Hotel Deepti RKL
02	Cov/311738	2137301449543	Meeta Mukharjee	57	F	Nasal Swab	29.10.2022	Negative	7507412814	I-12 Civil Town Ship RKL
03	Cov/311739	2137301449545	Soumya Ranjan Panda	32	M	Nasal Swab	29.10.2022	Negative	8093423993	Chhend RKL
04	Cov/311740	2137301449548	Bulbul Mohanty	32	M	Nasal Swab	29.10.2022	Negative	8093423993	Chhend RKL
05	Cov/311741	2137301449550	Dilip Kumar Soreng	47	M	Nasal Swab	29.10.2022	Negative	9938577986	Je-258 Jagda RKL
06	Cov/311742	2137301449577	Rupali Mukherjee	33	F	Nasal Swab	29.10.2022	Negative	9078321987	U-4-05 Civil Township

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR