



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report


Date and time of reporting	30.01.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	28.01.2023; 09:00 A.M.
Date & Time of receipt of specimen	30.01.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/317278	2137301484668	Chemo Naik	48	F	Nasal Swab	30.01.2023	Negative	8018221443	Bareigada Nuagaon
2	Cov/317279	2137301484674	Sumila Kishan	86	F	Nasal Swab	30.01.2023	Negative	9178782853	Garjan Lathikata
3	Cov/317280	2137301484677	Alaksiyus Minz	40	M	Nasal Swab	30.01.2023	Negative	7091848992	Mahato Toli
4	Cov/317281	2137301484681	Devendra Nag	65	M	Nasal Swab	30.01.2023	Negative	9777341074	Kutra Sundargarh
5	Cov/317282	2137301484685	Labani Dhar Bhaya	32	M	Nasal Swab	30.01.2023	Negative	8658230924	R P Line Rourkela
6	Cov/317283	2137301484688	Neha Sahoo	23	F	Nasal Swab	30.01.2023	Negative	7992589550	Malgodam Rourkela
7	Cov/317284	2137301484691	Ritu Parna Palei	15	F	Nasal Swab	30.01.2023	Negative	6372190478	Basanti Colony Rkl
8	Cov/317285	2137301484693	Dasmi Pradhan	35	F	Nasal Swab	30.01.2023	Negative	9556109106	Sector 20 Rourkela
9	Cov/317286	2137301484697	Sandhya Modak	49	F	Nasal Swab	30.01.2023	Negative	9861697201	Sector 14 Rourkela
10	Cov/317287	2137301484700	Sangita Devi	22	F	Nasal Swab	30.01.2023	Negative	9861766350	G B Palli Rourkela
11	Cov/317288	2137301484703	Mantu Rani Yadav	40	F	Nasal Swab	30.01.2023	Negative	8144581243	Sector 6 Rourkela
12	Cov/317289	2137301484705	Md Sakil	58	M	Nasal Swab	30.01.2023	Negative	8658905178	Plant Site Rourkela
13	Cov/317290	2137301484706	Srimati Devi	75	F	Nasal Swab	30.01.2023	Negative	8895638432	Birkeria Bisra
14	Cov/317291	2137301484708	Chandi Charan Mahato	70	M	Nasal Swab	30.01.2023	Negative	7029782459	Uditnagar Rourkela
15	Cov/317292	2137301484711	Kunal Sahoo	18	M	Nasal Swab	30.01.2023	Negative	6371146601	Gandhi Road Rkl
16	Cov/317293	2137301484712	Harinand Sahu	42	M	Nasal Swab	30.01.2023	Negative	9439072603	Hurda Bano Jkd
17	Cov/317294	2137301484714	Gopal Jhara	16	M	Nasal Swab	30.01.2023	Negative	9668762544	Karatta Khutgaon
18	Cov/317295	2137301484715	Susma Tirkey	35	F	Nasal Swab	30.01.2023	Negative	9438444835	Saliatola Birkeria
19	Cov/317296	2137301484719	Jyoti Nayak	18	F	Nasal Swab	30.01.2023	Negative	7735637022	Ambedkar Nagar Basanti Colony
20	Cov/317297	2137301484722	Renubala Behera	45	F	Nasal Swab	30.01.2023	Negative	9438112465	M S Marg Rourkela
21	Cov/317298	2137301484724	Gita Ray	70	F	Nasal Swab	30.01.2023	Negative	7381540863	Orampada Rourkela

22	Cov/317299	2137301484726	Imodini Nanda	62	F	Nasal Swab	30.01.2023	Negative	9777034025	Panposh Rourkela
23	Cov/317300	2137301484727	Anil Boshi	50	M	Nasal Swab	30.01.2023	Negative	9938820922	Koelnagar Rourkela
24	Cov/317301	2137301484728	Mamuni Das	28	F	Nasal Swab	30.01.2023	Negative	9078568312	Sector 6 Rourkela
25	Cov/317302	2137301484730	Suresh Ddungdung	40	M	Nasal Swab	30.01.2023	Negative	8249817285	Balanda Rourkela
26	Cov/317303	2137301484731	Rukmani Devi	43	F	Nasal Swab	30.01.2023	Negative	6287555633	Bolma Talmanga
27	Cov/317304	2137301484769	Anant Kumar	43	M	Nasal Swab	30.01.2023	Negative	8309751036	Sector C Bondamunda

Prepared by:

Checked and Approved by:



Hemanti Sabar



Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

डा. अशीत भूपन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR