



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	30.01.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	29.01.2023; 09:00 A.M.
Date & Time of receipt of specimen	30.01.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/317305	2137301484905	Ramesh Chandra Mohanty	57	M	Nasal Swab	30.01.2023	Negative	9178236685	Civil Township Rkl Sng
02	Cov/317306	2137301484906	Priti Minz	22	F	Nasal Swab	30.01.2023	Negative	9694307813	Karanjia Hatibadi Sng
03	Cov/317307	2137301484907	Ghurni Turi	45	F	Nasal Swab	30.01.2023	Negative	9692028767	Hatibari Karanjia Sng
04	Cov/317308	2137301484908	Dhanpat Singh	60	M	Nasal Swab	30.01.2023	Negative	7681012178	Sector 7 Rkl Sng
05	Cov/317309	2137301484909	Saif Ali	18	M	Nasal Swab	30.01.2023	Negative	8280270465	Tensa Koida Sng
06	Cov/317310	2137301484910	Tamanna Parween	21	F	Nasal Swab	30.01.2023	Negative	7992973228	Daily Market Rkl Sng
07	Cov/317311	2137301484921	Ram Pukar Choudhury	68	M	Nasal Swab	30.01.2023	Negative	7008148976	Bhatti Road Birmitrapur
08	Cov/317312	2137301484922	Sandhya Modak	49	F	Nasal Swab	30.01.2023	Negative	9861697201	Sec-14C Rkl Sng
09	Cov/317313	2137301484923	Sitamani Das	43	F	Nasal Swab	30.01.2023	Negative	8984130667	Hatibari Padua Sng
10	Cov/317314	2137301484924	Deepak Purti	38	M	Nasal Swab	30.01.2023	Negative	9337027680	Shakti Nagar Rkl Sng

Prepared by:

Hemanti Sabar

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*