



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Covid-19 (RT-PCR) Test Report

Date and time of reporting	30.05.2021; 11:00 A.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	28.05.2021; 09:00 A.M
Date & Time of receipt of specimen	29.05.2021; 06:30 P.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV
1	Cov/68384	Madan Lal Vishwakarma	43	M	Nasal Swab	30.05.2021	Negative
2	Cov/68385	Thakur Kumar Singh	46	M	Nasal Swab	30.05.2021	Negative
3	Cov/68386	Rajendra Nayak	55	M	Nasal Swab	30.05.2021	Negative
4	Cov/68387	Pradeep Kumar Barik	36	M	Nasal Swab	30.05.2021	Negative
5	Cov/68388	Tulasi Nayak	48	F	Nasal Swab	30.05.2021	Negative
6	Cov/68389	Aswani Kumar Gochhayat	32	M	Nasal Swab	30.05.2021	Negative
7	Cov/68391	Sarat Kumar Muduli	32	M	Nasal Swab	30.05.2021	Negative
8	Cov/68392	Chandra Sekhar Bisoi	32	M	Nasal Swab	30.05.2021	Negative
9	Cov/68393	Janardan Bisoi	58	M	Nasal Swab	30.05.2021	Negative
10	Cov/68394	Amit Kumar	20	M	Nasal Swab	30.05.2021	Negative
11	Cov/68396	Smruti Ranjan Nayak	34	M	Nasal Swab	30.05.2021	Negative
12	Cov/68397	Suchitra Barik	55	F	Nasal Swab	30.05.2021	Negative
13	Cov/68398	Kartik Barik	65	M	Nasal Swab	30.05.2021	Negative
14	Cov/68400	Fakir Mohan Swain Mohapatra	37	M	Nasal Swab	30.05.2021	Negative
15	Cov/68401	Trilochan	63	M	Sample Leakage		
16	Cov/68402	H R Nayak	40	M	Nasal Swab	30.05.2021	Negative
17	Cov/68403	Dhiren Kumar Das	46	M	Nasal Swab	30.05.2021	Negative
18	Cov/68404	Monaj Behera	38	M	Nasal Swab	30.05.2021	Negative
19	Cov/68405	Agani Sahoo	53	M	Nasal Swab	30.05.2021	Negative
20	Cov/68406	Bijay Behera	24	M	Nasal Swab	30.05.2021	Negative
21	Cov/68407	Kishore Dung Dung	35	M	Nasal Swab	30.05.2021	Negative
22	Cov/68408	Baladius Bilonon	37	M	Nasal Swab	30.05.2021	Negative
23	Cov/68409	Landa Vema Reddy	52	M	Nasal Swab	30.05.2021	Negative
24	Cov/68410	Sarat Ch Barik	45	M	Nasal Swab	30.05.2021	Negative
25	Cov/68411	B B Prajapati	32	M	Nasal Swab	30.05.2021	Negative
26	Cov/68412	Binay Kumar Nayak	56	M	Nasal Swab	30.05.2021	Negative

27	Cov/68413	Purga Boypai	43	M	Nasal Swab	30.05.2021	Negative
28	Cov/68414	Santosh Kumar Paramanik	52	M	Nasal Swab	30.05.2021	Negative
29	Cov/68416	Prabhat Kumar Boity	55	M	Nasal Swab	30.05.2021	Negative
30	Cov/68417	Ashok Kumar Dwibedi	53	M	Nasal Swab	30.05.2021	Negative
31	Cov/68418	Amiya Rout	46	M	Nasal Swab	30.05.2021	Negative
32	Cov/68419	Debaraj Pati	51	M	Nasal Swab	30.05.2021	Negative
33	Cov/68423	Jiten Kumar Dash	28	M	Nasal Swab	30.05.2021	Negative
34	Cov/68424	Avishek Nayak	31	M	Nasal Swab	30.05.2021	Negative
35	Cov/68427	Bimala Mohanta	55	F	Nasal Swab	30.05.2021	Negative
36	Cov/68428	Mathias Tirkey	67	M	Nasal Swab	30.05.2021	Negative
37	Cov/68430	Chandra Sekhar	43	M	Nasal Swab	30.05.2021	Negative
38	Cov/68431	Saptarshi Mondal	27	M	Nasal Swab	30.05.2021	Negative
39	Cov/68432	Krishna Nayak	15	F	Nasal Swab	30.05.2021	Negative
40	Cov/68435	Rajendra Sharma	47	M	Nasal Swab	30.05.2021	Negative
41	Cov/68447	Ashok Kusum	19	M	Nasal Swab	30.05.2021	Negative
42	Cov/68448	Basu Munda	70	M	Nasal Swab	30.05.2021	Negative

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess

डॉ. अशीत भूषण खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR