



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	30.07.2022; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	29.07.2022; 09:00 A.M.
Date & Time of receipt of specimen	30.07.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/288182	2137301354119	Jyotsna Rani Naik	34	F	Nasal Swab	30.07.2022	Negative	9040469004	C-192,Sector-2, Rourkela
02	Cov/288183	2137301354122	Fagu Soren	25	M	Nasal Swab	30.07.2022	Negative	6370562264	A-131,Sector-6, Rourkela
03	Cov/288184	2137301354126	Bijay Kumar Oram	26	M	Nasal Swab	30.07.2022	Negative	8456022644	F-164,Sector-1, Rourkela
04	Cov/288185	2137301354140	Ranjushree Pradhan	40	F	Nasal Swab	30.07.2022	Negative	9668258099	B-163,Sector-7, Rourkela
05	Cov/288186	2137301354149	Khushmeet Pradhan	5	M	Nasal Swab	30.07.2022	Negative	9668258099	B-163,Sector-7, Rourkela
06	Cov/288187	2137301354156	Ashok Gochhayat	30	M	Nasal Swab	30.07.2022	Negative	7077293383	Golghar,Sector-5, Rourkela
07	Cov/288188	2137301354161	Payal Baskui	40	F	Nasal Swab	30.07.2022	Negative	7978344285	B-147,Sector-19, Rourkela
08	Cov/288189	2137301354164	Avani Pal	52	M	Nasal Swab	30.07.2022	Negative	9040565225	B-217,Sector-4, Rourkela
09	Cov/288190	2137301354171	Abhinash Singh	36	M	Nasal Swab	30.07.2022	Negative	9709201188	Chhend, Rourkela
10	Cov/288191	2137301354173	Jasdeep Sral	11	M	Nasal Swab	30.07.2022	Negative	9437601314	AM-113,Basanti Colony, Rourkela

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भूपन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.

- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*