



**DEPARTMENT OF MICROBIOLOGY**  
**ISPAT GENERAL HOSPITAL**  
**SAIL, RSP, ROURKELA**

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	30.08.2021; 07:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	30.08.2021; 09:00 A.M.
Date & Time of receipt of specimen	30.08.2021; 02:00 P.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/134227	Dhaneswar Das	78	M	Nasal Swab	30.08.2021	Negative	8455026771	Anand Bazar Fertilizer Rourkela
2	Cov/134228	Swayamjeet Jena	15	M	Nasal Swab	30.08.2021	Negative	9437222406	A/200 Sector-20 Rourkela
3	Cov/134229	Chinmaya Das	40	M	Nasal Swab	30.08.2021	Negative	7008012611	M/5 Chhend Colony Rourkela
4	Cov/134230	Pinki Behera	34	F	Nasal Swab	30.08.2021	Negative	9437683879	E/2 Basanti Colony Rourkela
5	Cov/134231	Marshela Beck	70	F	Nasal Swab	30.08.2021	Negative	9777626656	Kansbahal Sundargarh
6	Cov/134232	Abhijit Ray	15	M	Nasal Swab	30.08.2021	Negative	7815061040	Rajgangpur Sundargarh
7	Cov/134233	F C Mohanty	71	M	Nasal Swab	30.08.2021	Negative	8908352996	D3/1 Civil Township Rourkela
8	Cov/134234	Sawar Kamal Agarwal	69	M	Nasal Swab	30.08.2021	Negative	9437041940	I/10 Civil Township Rourkela
9	Cov/134235	Jaidev Sa	52	M	Nasal Swab	30.08.2021	Negative	8917394172	Badgaon Sundargarh
10	Cov/134236	Premisila Tigga	36	F	Nasal Swab	30.08.2021	Negative	9668498595	Jagda A Block Rourkela
11	Cov/134237	Rajpal Xalxo	21	M	Nasal Swab	30.08.2021	Negative	7077975610	RGH IPD Rourkela
12	Cov/134238	Sangeeta Soy	19	F	Nasal Swab	30.08.2021	Negative	7008263792	RGH IPD Rourkela
13	Cov/134239	Bina Lugun	60	F	Nasal Swab	30.08.2021	Negative	9937745692	RGH IPD Rourkela
14	Cov/134240	Ram Kumar Kohira	36	M	Nasal Swab	30.08.2021	Negative	9692681982	RGH IPD Rourkela
15	Cov/134241	Suresh Oram	55	M	Nasal Swab	30.08.2021	Negative	8763991367	RGH IPD Rourkela
16	Cov/134242	Subash Naik	45	M	Nasal Swab	30.08.2021	Negative	8280331790	RGH IPD Rourkela
17	Cov/134243	Samel Munda	25	M	Nasal Swab	30.08.2021	Negative	9439715270	RGH IPD Rourkela
18	Cov/134244	Birsa Lohar	45	M	Nasal Swab	30.08.2021	Negative	7894848338	RGH IPD Rourkela
19	Cov/134245	Jaja Choudhry	74	M	Nasal Swab	30.08.2021	Negative	9937474616	RGH IPD Rourkela
20	Cov/134246	Sujata Tirkey	21	F	Nasal Swab	30.08.2021	Negative	6370253490	RGH IPD Rourkela

21	Cov/134247	Mushumi Minz	23	F	Nasal Swab	30.08.2021	Negative	9337931228	RGH IPD Rourkela
22	Cov/134248	Jauni Kujur	60	F	Nasal Swab	30.08.2021	Negative	9439077817	RGH IPD Rourkela
23	Cov/134249	Mamata Kumbhar	24	F	Nasal Swab	30.08.2021	Negative	8144504540	RGH IPD Rourkela
24	Cov/134250	Arendra Pandey	45	F	Nasal Swab	30.08.2021	Negative	7014216852	RGH IPD Rourkela
25	Cov/134251	Rasmani Nayak	35	F	Nasal Swab	30.08.2021	Negative	8895833166	RGH IPD Rourkela
26	Cov/134252	Khairi Munda	55	F	Nasal Swab	30.08.2021	Negative	6371544891	RGH IPD Rourkela
27	Cov/134253	Sabita Dhanwar	25	F	Nasal Swab	30.08.2021	Negative	6261945913	RGH IPD Rourkela
28	Cov/134254	Bahamani Back	27	F	Nasal Swab	30.08.2021	Negative	7752075409	RGH IPD Rourkela
29	Cov/134255	Tarun Kumar Biswal	45	M	Nasal Swab	30.08.2021	Negative	9938861203	Modern India Fertilizer Rourkela
30	Cov/134257	Sunita Devi	60	F	Nasal Swab	30.08.2021	Negative	9556112319	Golghar Sector-15 Rourkela
31	Cov/134258	Sangeeta Hansada	19	F	Nasal Swab	30.08.2021	Negative	7205005086	Birmitrapur Sundargarh

Prepared by:

Checked and Approved by:



Krishna Ch. Majhi



Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR