



**DEPARTMENT OF MICROBIOLOGY**  
**ISPAT GENERAL HOSPITAL**  
**SAIL, RSP, ROURKELA**

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	30.08.2021; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	29.08.2021; 09:00 A.M.
Date & Time of receipt of specimen	30.08.2021; 09:00 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/133766	Bhagbati Barik	49	F	Nasal Swab	30.08.2021	Negative	8457833686	Uditnagar Rourkela
02	Cov/133767	Bhabani Sankar	37	M	Nasal Swab	30.08.2021	Negative	7078019943	Indarpur Bangi Sundargarh
03	Cov/133768	Mangal Singh	38	M	Nasal Swab	30.08.2021	Negative	7894985313	Birmitrapur Sundargarh
04	Cov/133769	Nikan Behera	35	M	Nasal Swab	30.08.2021	Negative	7854947241	N P Nagar Rourkela Sundargarh
05	Cov/133770	Budini Meher	80	F	Nasal Swab	30.08.2021	Negative	9348384562	Uditnagar Rourkela
06	Cov/133771	Puspanjali Das	19	F	Nasal Swab	30.08.2021	Negative	7735650899	Dasarathipur Kavjhar
07	Cov/133772	Chinta Devi	55	F	Nasal Swab	30.08.2021	Negative	7008510721	Lahunipada Rourkela
08	Cov/133773	Birendra Kumbhar	35	M	Nasal Swab	30.08.2021	Negative	8895286038	Lahunipada Rourkela
09	Cov/133774	Hari Sahu	74	M	Nasal Swab	30.08.2021	Negative	8760843155	Sector 15 Rourkela
10	Cov/133775	Dinabandu Barik	65	M	Nasal Swab	30.08.2021	Negative	9348564288	Basanty Colony Rourkela
11	Cov/133776	Jitu Parmani	26	M	Nasal Swab	30.08.2021	Negative	9348346711	Railway Colony Rourkela
12	Cov/133777	Abubakar Ansari	22	M	Nasal Swab	30.08.2021	Negative	7978321655	Sector 15 Rourkela
13	Cov/133778	Jamuni Devi	22	M	Nasal Swab	30.08.2021	Negative	8763198992	RGH IPD Rourkela
14	Cov/133779	Gudia Kesri	7	F	Nasal Swab	30.08.2021	Negative	8596802912	RGH IPD Rourkela
15	Cov/133780	Munda Tirkey	30	F	Nasal Swab	30.08.2021	Negative	7077685692	RGH IPD Rourkela
16	Cov/133781	Roshan Rout	23	M	Nasal Swab	30.08.2021	Negative	8280453298	RGH IPD Rourkela
17	Cov/133782	Grandeve Bharasagar	60	F	Nasal Swab	30.08.2021	Negative	8260849795	RGH IPD Rourkela
18	Cov/133783	Rubi Devi	45	F	Nasal Swab	30.08.2021	Negative	8671604215	RGH IPD Rourkela
19	Cov/133784	Manoj Thakur	44	M	Nasal Swab	30.08.2021	Negative	8249298350	RGH IPD Rourkela
20	Cov/133785	Ranjit Kullu	48	M	Nasal Swab	30.08.2021	Negative	9348529857	RGH IPD Rourkela
21	Cov/133786	Akhay Baisakh	19	M	Nasal Swab	30.08.2021	Negative	9861666125	RGH IPD Rourkela

22	Cov/133787	Rajib Bilung	15	M	Nasal Swab	30.08.2021	Negative	6371094075	RGH IPD Rourkela
23	Cov/133788	Raju Tanty	40	M	Nasal Swab	30.08.2021	Negative	8280269880	RGH IPD Rourkela
24	Cov/133789	Rathu Sulanki	50	M	Nasal Swab	30.08.2021	Negative	8895053874	RGH IPD Rourkela
25	Cov/133790	Kunal Yadav	35	M	Nasal Swab	30.08.2021	Negative	6206801457	RGH IPD Rourkela
26	Cov/133791	Rekha Rajgan	27	F	Nasal Swab	30.08.2021	Negative	6372050565	RGH IPD Rourkela
27	Cov/133792	Ashrita Badna	45	F	Nasal Swab	30.08.2021	Negative	7894399348	RGH IPD Rourkela
28	Cov/133793	Dipika Nayak	19	F	Nasal Swab	30.08.2021	Negative	7892494832	RGH IPD Rourkela
29	Cov/133794	Puspa Devi	65	F	Nasal Swab	30.08.2021	Negative	7061685478	RGH IPD Rourkela
30	Cov/133795	Janaki Kolet	58	F	Nasal Swab	30.08.2021	Negative	8458026617	Sector 7 Rourkela
31	Cov/133796	Sananta Bhumij	28	M	Nasal Swab	30.08.2021	Negative	7752072471	Fertilizer Rourkela
32	Cov/133797	Rehana Khatoon	55	F	Nasal Swab	30.08.2021	Negative	9078698432	Plant Site Rourkela

Prepared by:

Checked and Approved by:



Krishna Ch. Majhi



Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR