



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	30.08.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	29.08.2022; 09:00 A.M.
Date & Time of receipt of specimen	30.08.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/299451	2137301396220	Haresh Mahakud	9	M	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
2	Cov/299452	2137301396242	Deepak Munda	9	M	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
3	Cov/299453	2137301396249	Ranjan Naik	9	M	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
4	Cov/299454	2137301396259	Debashish Lohar	9	M	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
5	Cov/299455	2137301396278	Joshabanta Naik	9	M	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
6	Cov/299456	2137301396298	Amlensh Siddu	9	M	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
7	Cov/299457	2137301396313	Chamuru Munda	9	M	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
8	Cov/299458	2137301396327	Suraj Purti	9	M	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
9	Cov/299459	2137301396351	Arjun Munda	9	M	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
10	Cov/299460	2137301396358	Ganesh Munda	8	M	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
11	Cov/299461	2137301396364	Manash Naik	8	M	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
12	Cov/299462	2137301396371	Raja Munda	10	M	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
13	Cov/299463	2137301396380	Ganesh Munda	10	M	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
14	Cov/299464	2137301396389	Ramesh Naik	9	M	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
15	Cov/299465	2137301396393	Pratima Naik	9	F	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
16	Cov/299466	2137301396398	Malati Munda	9	F	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
17	Cov/299467	2137301396405	Nandini Dehury	9	F	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
18	Cov/299468	2137301396412	Rani Munda	9	F	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
19	Cov/299469	2137301396417	Gita Naik	9	F	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
20	Cov/299470	2137301396423	Sushma Naik	9	F	Nasal Swab	30.08.2022	Negative	9178125231	Ganua Sevashram
21	Cov/299471	2137301396427	Sabitiri Munda	10	F	Nasal Swab	30.08.2022	Negative	8658080601	Ganua Sevashram
22	Cov/299472	2137301396435	Mamata Naik	8	F	Nasal Swab	30.08.2022	Negative	8658080601	Ganua Sevashram
23	Cov/299473	2137301396439	Bhagyashree Naik	8	F	Nasal Swab	30.08.2022	Negative	8658080601	Ganua Sevashram

24	Cov/299474	2137301396444	Laxmi Patra	8	F	Nasal Swab	30.08.2022	Negative	8658080601	Ganua Sevashram
25	Cov/299475	2137301396452	Puja Sedhi	9	F	Nasal Swab	30.08.2022	Negative	8658080601	Ganua Sevashram

Prepared by:




Krishna Ch. Majhi

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*

Checked and Approved by:



Dr. Rajeev Kr. Seth

डा. राजीव कुमार सेठ
Dr. RAJEEV KUMAR SETH
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela