



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	30.08.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	28.08.2022; 09:00 A.M.
Date & Time of receipt of specimen	29.08.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/299803	2137301398747	Nawaz Khan	2	M	Nasal Swab	30.08.2022	Negative	9078907732	Rajganpur Eidghah Mohalla, SNG
02	Cov/299804	2137301398751	Puja Ghosh	4	F	Nasal Swab	30.08.2022	Negative	9237318034	Madhusudhan Colony,RKL, SNG
03	Cov/299805	2137301398757	Jayshree Tanty	6	F	Nasal Swab	30.08.2022	Negative	8895587735	Jalda C Block,RKL, SNG
04	Cov/299806	2137301398760	Sekhar Lakra	10	M	Nasal Swab	30.08.2022	Negative	9078778365	Jhagrpur, Rajganpur, SNG
05	Cov/299807	2137301398769	Minati Behera	31	F	Nasal Swab	30.08.2022	Negative	8249762337	Panposh,RKL, SNG
06	Cov/299808	2137301398772	Sukram Munda	22	M	Nasal Swab	30.08.2022	Negative	7894253165	Deoposh Bonai, SNG
07	Cov/299809	2137301398776	Biswajit Ghosh	26	M	Nasal Swab	30.08.2022	Negative	8249219863	Sector 6,RKL, SNG

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Rajeev Kr. Seth

डा. राजीव कुमार सेठ
Dr. RAJEEV KUMAR SETH
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR