

DEPARTMENT OF MICROBIOLOGY ISPAT GENERAL HOSPITAL SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	30.08.2022; 05:00 P.M.					
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela					
SPECIMEN DETAILS						
Date & Time of sample collection	28.08.2022; 09:00 A.M.					
Date & Time of receipt of specimen	29.08.2022; 08:30 A.M.					
Condition of specimens received / Quality on arrival	Acceptable					
REPORTING DETAILS						

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019- nCoV	Mobile No.	Address
01	Cov/299810	2137301398786	Praveen Goyal	35	Μ	Nasal Swab	30.08.2022	Negative	8249782887	R-10 Civil Township, RKL

Prepared by:

Kneching

Krishna Ch. Majhi

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Alipette

Checked and Approved by:

Dr. Rajeev Kr. Seth

डा. राजीव कुमार सेठ Dr. RAJEEV KUMAR SETH Consultant Microbiologist SAIL, RSP, IGH, Rourkela