



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	30.08.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	29.08.2022; 09:00 A.M.
Date & Time of receipt of specimen	30.08.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/299939	2137301400117	Chandan Mittal	26	M	Nasal Swab	30.08.2022	Negative	9337362505	BI-138,Basanti Colony, RKL
02	Cov/299940	2137301400118	Samadhan Mishra	32	M	Nasal Swab	30.08.2022	Negative	9777223358	C-274 Koelnagar, RKL
03	Cov/299941	2137301400122	Sweta Patnaik	31	F	Nasal Swab	30.08.2022	Negative	9777223358	C-274 Koelnagar, RKL
04	Cov/299942	2137301400123	Nalini Ranjan Das	39	M	Nasal Swab	30.08.2022	Negative	7899961001	C-176,Sector-14, RKL
05	Cov/299943	2137301400127	Bhanu Priya Mohapatra	38	F	Nasal Swab	30.08.2022	Negative	7899961001	C-176,Sector-14, RKL
06	Cov/299944	2137301400130	Vishal Agarwal	29	M	Nasal Swab	30.08.2022	Negative	9861785060	Daily Market, RKL
07	Cov/299945	2137301400132	Deepak Agarwal	27	M	Nasal Swab	30.08.2022	Negative	7381898677	GG-15 Civil Town Ship, RKL
08	Cov/299946	2137301400137	Nipun Kedia	33	M	Nasal Swab	30.08.2022	Negative	9861229118	Basanti Colony, RKL
09	Cov/299947	2137301400139	Puja Chiripal	30	F	Nasal Swab	30.08.2022	Negative	9861229118	Basanti Colony, RKL
10	Cov/299948	2137301400142	Onkarmal Agarwal	65	M	Nasal Swab	30.08.2022	Negative	9040295219	Daily Market, RKL
11	Cov/299949	2137301400144	Nirmala Devi	53	F	Nasal Swab	30.08.2022	Negative	9040295219	Daily Market, RKL
12	Cov/299950	2137301400147	Sundar Mal Agarwal	55	M	Nasal Swab	30.08.2022	Negative	9437037352	Bisra Rourkela

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Rajeev Kr. Seth

डॉ. राजीव कुमार सेठ
Dr. RAJEEV KUMAR SETH
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*

- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*