



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	31.05.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	30.05.2022; 09:00 A.M.
Date & Time of receipt of specimen	31.05.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	


Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/275208	2137301287609	Mery Shena Kandulna	14	F	Nasal Swab	31.05.2022	Negative	9078310816	Jodabandh, Bisra
2	Cov/275209	2137301287613	Sibani Oram	14	F	Nasal Swab	31.05.2022	Negative	9556581471	Jodabandh, Bisra School
3	Cov/275210	2137301287616	Karishma Ekka	18	F	Nasal Swab	31.05.2022	Negative	9692645486	Jodabandh, Bisra School
4	Cov/275211	2137301287617	Gloria Hembram	14	F	Nasal Swab	31.05.2022	Negative	9178648014	Jodabond SCL, Bisra
5	Cov/275212	2137301287618	Sabita Guria	32	F	Nasal Swab	31.05.2022	Negative	8658730355	Birkeria, Bisra
6	Cov/275213	2137301287620	Elin Soy	12	F	Nasal Swab	31.05.2022	Negative	8018124468	Kopranda, Bisra
7	Cov/275214	2137301287621	Deepika Oram	14	F	Nasal Swab	31.05.2022	Negative	7041082409	Jodabond SCL, Bisra
8	Cov/275215	2137301287622	Saraswati Kaluar	13	F	Nasal Swab	31.05.2022	Negative	7894910014	Jodabond SCL, Bisra
9	Cov/275216	2137301287623	Josamani Munda	14	F	Nasal Swab	31.05.2022	Negative	8018680263	Joda SCL , Bisra
10	Cov/275217	2137301287624	Gangamani Mundary	14	F	Nasal Swab	31.05.2022	Negative	7846930146	Jodabond SCL , Bisra
11	Cov/275218	2137301287625	Alma Oram	14	F	Nasal Swab	31.05.2022	Negative	7077004350	Jodabond SCL, Bisra
12	Cov/275219	2137301287626	Sita Oram	14	F	Nasal Swab	31.05.2022	Negative	8114853675	Jodabond SCL, Bisra
13	Cov/275220	2137301287627	Sushma Tigga	14	F	Nasal Swab	31.05.2022	Negative	8456834536	Jodabond SCL, Bisra
14	Cov/275221	2137301287630	Ranjita Oram	15	F	Nasal Swab	31.05.2022	Negative	8118092902	Joda, Bisra
15	Cov/275222	2137301287632	Gita Oram	14	F	Nasal Swab	31.05.2022	Negative	9439072829	Joda, Bisra
16	Cov/275223	2137301287633	Rashmita Purty	18	F	Nasal Swab	31.05.2022	Negative	7077678856	Jodabond SCL, Bisra
17	Cov/275224	2137301287636	Nathenl Topon	65	M	Nasal Swab	31.05.2022	Negative	9937497494	Joda, Bisra
18	Cov/275225	2137301287637	Lakhan Kumar	45	M	Nasal Swab	31.05.2022	Negative	6372127630	Jodabond , Bisra
19	Cov/275226	2137301287640	Neha Tirkey	13	F	Nasal Swab	31.05.2022	Negative	7853048117	Jodabond SCL, Bisra
20	Cov/275227	2137301287641	Sruti Lohar	12	F	Nasal Swab	31.05.2022	Negative	7853048117	Jodabond SCL, Bisra
21	Cov/275228	2137301287642	Bud Lohar	62	M	Nasal Swab	31.05.2022	Negative	7853048117	Joda, Bisra
22	Cov/275229	2137301287643	Mahadev Lohar	70	M	Nasal Swab	31.05.2022	Negative	7853048117	Joda, Bisra
23	Cov/275230	2137301287644	Kalamani Kumbhar	62	F	Nasal Swab	31.05.2022	Negative	8457019936	Joda, Bisra
24	Cov/275231	2137301287645	Somari Kumbhar	62	F	Nasal Swab	31.05.2022	Negative	8260475991	Joda, Bisra
25	Cov/275232	2137301287647	Sri Ghasiram Lohar	60	M	Nasal Swab	31.05.2022	Negative	8763074699	Joda, Bisra

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:




Dr. Rajeev Kr. Seth

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*



डॉ. राजीव कुमार सेठ
Dr. RAJEEV KUMAR SETH
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela