



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, ROURKELA

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	31.07.2021; 07:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	31.07.2021; 01:30 P.M.
Date & Time of receipt of specimen	31.07.2021; 02:15 P.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/112755	Ramchandra Mahato	38	M	Nasal Swab	31.07.2021	Negative	9438624514	RGH OPD, Rourkela
02	Cov/112756	Krutika Singh	20	F	Nasal Swab	31.07.2021	Negative	7735960664	RGH OPD, Rourkela
03	Cov/112757	Philomina Tirkey	65	F	Nasal Swab	31.07.2021	Negative	8018618331	RGH OPD, Rourkela
04	Cov/112758	Kirtan Biswal	94	M	Nasal Swab	31.07.2021	Negative	7326873242	RGH OPD, Rourkela
05	Cov/112759	Sibani Samashi	28	F	Nasal Swab	31.07.2021	Negative	9337753559	RGH OPD, Rourkela
06	Cov/112760	M Yunus Akhtar	32	M	Nasal Swab	31.07.2021	Negative	9861035276	RGH OPD, Rourkela
07	Cov/112761	Ananya Naik	23	F	Nasal Swab	31.07.2021	Negative	7750819249	RGH OPD, Rourkela
08	Cov/112762	Dayanidhi Sahu	62	M	Nasal Swab	31.07.2021	Negative	8018633661	RGH OPD, Rourkela
09	Cov/112763	Sudharani Pradhan	58	M	Nasal Swab	31.07.2021	Negative	9861096168	RGH OPD, Rourkela
10	Cov/112764	Lalatendu Pradhan	63	M	Nasal Swab	31.07.2021	Negative	8895501496	RGH OPD, Rourkela
11	Cov/112765	Pradhan Abhishek	31	M	Nasal Swab	31.07.2021	Negative	9437221627	RGH OPD, Rourkela
12	Cov/112766	Pradhan Abhijit	27	M	Nasal Swab	31.07.2021	Negative	9479641770	RGH OPD, Rourkela
13	Cov/112767	Harekrushna Pradhan	50	M	Nasal Swab	31.07.2021	Negative	9438204300	RGH IPD, Rourkela
14	Cov/112768	Balaram Sahoo	55	M	Nasal Swab	31.07.2021	Negative	7978994789	RGH IPD, Rourkela
15	Cov/112769	Magel Ekka	41	F	Nasal Swab	31.07.2021	Negative	8280666636	RGH IPD, Rourkela
16	Cov/112770	Soma Oram	48	M	Nasal Swab	31.07.2021	Negative	8117950877	RGH IPD, Rourkela
17	Cov/112771	Chepa Kishan	47	M	Nasal Swab	31.07.2021	Negative	7683929073	RGH IPD, Rourkela
18	Cov/112772	Preeti Singh	30	F	Nasal Swab	31.07.2021	Negative	8917635298	RGH IPD, Rourkela
19	Cov/112773	Nelamani Mahanta	63	F	Nasal Swab	31.07.2021	Negative	9438165053	RGH IPD, Rourkela
20	Cov/112774	Puja Lohar	18	F	Nasal Swab	31.07.2021	Negative	8280453442	RGH IPD, Rourkela

21	Cov/112775	Jamuna Patra	22	F	Nasal Swab	31.07.2021	Negative	9438226659	RGH IPD, Rourkela
22	Cov/112776	Manisha Rout	29	F	Nasal Swab	31.07.2021	Negative	9348555356	RGH IPD, Rourkela
23	Cov/112777	Sujata Devi	45	F	Nasal Swab	31.07.2021	Negative	7978392366	RGH IPD, Rourkela
24	Cov/112778	Jhingi Murmu	45	F	Nasal Swab	31.07.2021	Negative	8328979542	RGH IPD, Rourkela
25	Cov/112779	Jyoti Horo	31	F	Nasal Swab	31.07.2021	Negative	8163016909	RGH IPD, Rourkela
26	Cov/112780	Isdar Ekka	57	M	Nasal Swab	31.07.2021	Negative	9676003580	RGH IPD, Rourkela
27	Cov/112781	Premananda Pathal	31	M	Nasal Swab	31.07.2021	Negative	8917474456	RGH IPD, Rourkela
28	Cov/112782	Jagdish Kishan	30	M	Nasal Swab	31.07.2021	Negative	8763243500	RGH IPD, Rourkela
29	Cov/112783	Mangal Gosawin	46	M	Nasal Swab	31.07.2021	Negative	7205539643	RGH IPD, Rourkela
30	Cov/112784	Md Faheed	22	M	Nasal Swab	31.07.2021	Negative	9337805311	RGH IPD, Rourkela
31	Cov/112785	Susil Kishan	50	M	Nasal Swab	31.07.2021	Negative	7656910939	RGH IPD, Rourkela

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



**Dr. Ashit Bhusan Xess**  
 डा. अशीत भूषन खेस  
 Dr. ASHIT BHUSAN XESS  
 Consultant Microbiologist  
 SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR