



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	31.10.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	30.10.2022; 09:00 A.M.
Date & Time of receipt of specimen	31.10.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/312095	2137301450510	Shila Kindo	37	F	Nasal Swab	31.10.2022	Negative	8457872027	Kadobahal Birmitrapur
02	Cov/312096	2137301450511	Simi Perween	32	F	Nasal Swab	31.10.2022	Negative	7790041125	Plant Site RKL
03	Cov/312097	2137301450512	Rajesh Singh	26	M	Nasal Swab	31.10.2022	Negative	9861947516	Timber Colony RKL
04	Cov/312098	2137301450513	Susil Barik	28	M	Nasal Swab	31.10.2022	Negative	9156954256	Kalunga Mahabir IDC
05	Cov/312099	2137301450514	Gopal Choudhury	39	M	Nasal Swab	31.10.2022	Negative	7735196134	Basanti Colony RKL
06	Cov/312100	2137301450515	Arta Purty	18	M	Nasal Swab	31.10.2022	Negative	9937456816	Civil Township RKL
07	Cov/312101	2137301450516	Guru Kansari	51	M	Nasal Swab	31.10.2022	Negative	9777549988	Jhirpani Rourkela
08	Cov/312102	2137301450517	Mangal Mochi	42	M	Nasal Swab	31.10.2022	Negative	9556006476	Jalda A Block RKL
09	Cov/312103	2137301450518	Jagabandu Sahoo	41	M	Nasal Swab	31.10.2022	Negative	9861046205	Sector 5 Kabisamratpali RKL
10	Cov/312104	2137301450519	Prasant Kumar Mishra	26	M	Nasal Swab	31.10.2022	Negative	9861834375	Jalda A Block RKL

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.

- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*