



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	31.10.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	30.10.2022; 09:00 A.M.
Date & Time of receipt of specimen	31.10.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/312105	2137301450536	Biswajeet Jena	25	M	Nasal Swab	31.10.2022	Negative	9090300885	Sector 8 Rourkela
02	Cov/312106	2137301450538	Sonu Singh	28	M	Nasal Swab	31.10.2022	Negative	7008641910	Basanti Colony RKL
03	Cov/312107	2137301450540	Sailendu Mohapatra	45	M	Nasal Swab	31.10.2022	Negative	8260031303	WW-03 Civil Township RKL
04	Cov/312108	2137301450543	Bijaya Laxmi Padhi	60	F	Nasal Swab	31.10.2022	Negative	9776488861	MICR-51 Chhend Rourkela
05	Cov/312109	2137301450544	Surendra Kumar Padhi	68	M	Nasal Swab	31.10.2022	Negative	9776488861	MICR-51 Chhend Rourkela
06	Cov/312110	2137301450545	Alokesh Samantaray	56	M	Nasal Swab	31.10.2022	Negative	8336942609	Jagda Panda Colony Rourkela
07	Cov/312111	2137301450546	Shiv Kumar Singh	36	M	Nasal Swab	31.10.2022	Negative	8658210033	Vedvyas B Tarang
08	Cov/312112	2137301450547	Manoj Kumar Dalai	36	M	Nasal Swab	31.10.2022	Negative	8880882683	C2L2 -226 Chhend Rourkela
09	Cov/312113	2137301450548	Mamata Dalai	31	F	Nasal Swab	31.10.2022	Negative	8880882683	C2L2-226 Chhend RKL

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR