



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Covid-19 (RT-PCR) Test Report

Date and time of reporting	04.04.2021; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	31.03.2021
Date & Time of receipt of specimen	01.04.2021; 10:00 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV
1.	Cov/48033	Devang Mitesh Dhanniwala	16	Male	Nasal Swab	04.04.2021	Negative
2.	Cov/48034	Rak Kumar Kissan	17	Male	Nasal Swab	04.04.2021	Negative
3.	Cov/48035	Sumit Xaxa	29	Male	Nasal Swab	04.04.2021	Negative
4.	Cov/48036	Dudhakaran Verma	43	Male	Nasal Swab	04.04.2021	Negative
5.	Cov/48037	Mukti Pradhan	19	Male	Nasal Swab	04.04.2021	Negative
6.	Cov/48038	Dharitri Sethi	25	Female	Nasal Swab	04.04.2021	Negative
7.	Cov/48039	Dharmesh Kumar Nayak	23	Male	Nasal Swab	04.04.2021	Negative
8.	Cov/48040	Prafulit Tirkey	55	Female	Nasal Swab	04.04.2021	Negative
9.	Cov/48041	Subhalaxmi Tripathy	26	Female	Nasal Swab	04.04.2021	Negative
10.	Cov/48042	Pratap Kumar Sahoo	31	Male	Nasal Swab	04.04.2021	Negative
11.	Cov/48043	Dhrubacharan Biswal	34	Male	Nasal Swab	04.04.2021	Negative
12.	Cov/48044	Laxmidhar Nayak	22	Male	Nasal Swab	04.04.2021	Negative
13.	Cov/48045	Dipti Narayan Sahu	21	Male	Nasal Swab	04.04.2021	Negative
14.	Cov/48046	Prafula Nayak	50	Male	Nasal Swab	04.04.2021	Negative
15.	Cov/48047	S Mahalingam	63	Male	Nasal Swab	04.04.2021	Negative
16.	Cov/48048	Biram Soren	22	Male	Nasal Swab	04.04.2021	Negative
17.	Cov/48051	Rashmita Kujur	26	Female	Nasal Swab	04.04.2021	Negative
18.	Cov/48052	Sita Topno	32	Female	Nasal Swab	04.04.2021	Negative
19.	Cov/48053	Anita Barla	19	Female	Nasal Swab	04.04.2021	Negative
20.	Cov/48054	Aditya Narayan Panda	18	Male	Nasal Swab	04.04.2021	Negative
21.	Cov/48055	Asit Ranjan Parida	20	Male	Nasal Swab	04.04.2021	Negative
22.	Cov/48056	Jay Kudada	22	Male	Nasal Swab	04.04.2021	Negative
23.	Cov/48059	Shubham Santosh Vedpathak	20	Male	Nasal Swab	04.04.2021	Negative
24.	Cov/48060	Bilasa Kishan	35	Female	Nasal Swab	04.04.2021	Negative
25.	Cov/48062	Sankshipta Kumar Pradhan	26	Male	Nasal Swab	04.04.2021	Negative

Rajeev Kumar Sethi
Dr. RAJEEV KUMAR SETHI
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Covid-19 (RT-PCR) Test Report

Date and time of reporting	04.04.2021; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	31.03.2021
Date & Time of receipt of specimen	01.04.2021; 10:00 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV
26.	Cov/48063	Md Halim Alam	36	Male	Nasal Swab	04.04.2021	Negative
27.	Cov/48064	Mamta Devi	30	Female	Nasal Swab	04.04.2021	Negative
28.	Cov/48065	Shiba Narayan Subudhi	61	Male	Nasal Swab	04.04.2021	Negative
29.	Cov/48067	Rakesh Mudaliar	25	Male	Nasal Swab	04.04.2021	Negative
30.	Cov/48068	Namita Barla	24	Female	Nasal Swab	04.04.2021	Negative
31.	Cov/48070	Pratima Patra	39	Female	Nasal Swab	04.04.2021	Negative
32.	Cov/48071	Sanjay Ekka	22	Male	Nasal Swab	04.04.2021	Negative
33.	Cov/48072	Bilu Badaik	60	Male	Nasal Swab	04.04.2021	Negative
34.	Cov/48073	Makar Sahoo	56	Male	Nasal Swab	04.04.2021	Negative
35.	Cov/48075	Sushila Bagh	35	Female	Nasal Swab	04.04.2021	Negative
36.	Cov/48076	Rina Badaik	25	Female	Nasal Swab	04.04.2021	Negative
37.	Cov/48077	Sunita Soreng	35	Female	Nasal Swab	04.04.2021	Negative
38.	Cov/48078	Sunil Tanty	27	Male	Nasal Swab	04.04.2021	Negative
39.	Cov/48079	Dukhu Mohakud	39	Male	Nasal Swab	04.04.2021	Negative
40.	Cov/48080	Prabha Passary	64	Female	Nasal Swab	04.04.2021	Negative
41.	Cov/48081	Kamal Passary	50	Male	Nasal Swab	04.04.2021	Negative
42.	Cov/48082	Bibhudatta Patnaik	45	Male	Nasal Swab	04.04.2021	Negative
43.	Cov/48083	Bidwanti Bhengra	32	Female	Nasal Swab	04.04.2021	Negative
44.	Cov/48085	Pintu Kumar Dey	38	Male	Nasal Swab	04.04.2021	Negative
45.	Cov/48086	Laxmi Priya Tandi	57	Female	Nasal Swab	04.04.2021	Negative
46.	Cov/48087	Sarita Bud	17	Female	Nasal Swab	04.04.2021	Negative
47.	Cov/48088	Jayanti Mohanty	40	Female	Nasal Swab	04.04.2021	Negative
48.	Cov/48089	Kailash Jani	35	Male	Nasal Swab	04.04.2021	Negative
49.	Cov/48090	Sarmila Verma	32	Female	Nasal Swab	04.04.2021	Negative
50.	Cov/48091	Ajay Lohar	18	Male	Nasal Swab	04.04.2021	Negative



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Covid-19 (RT-PCR) Test Report

Date and time of reporting	04.04.2021; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	31.03.2021
Date & Time of receipt of specimen	01.04.2021; 10:00 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV
51.	Cov/48092	Shishir Kumar Marandi	21	Male	Nasal Swab	04.04.2021	Negative
52.	Cov/48094	Gobardhan Majhi	29	Male	Nasal Swab	04.04.2021	Negative
53.	Cov/48095	Dharmendra Kumar	41	Male	Nasal Swab	04.04.2021	Negative
54.	Cov/48096	Archana Nayak	26	Female	Nasal Swab	04.04.2021	Negative
55.	Cov/48097	Bimla Mahato	55	Female	Nasal Swab	04.04.2021	Negative
56.	Cov/48098	Pramod Kumar Nayak	42	Male	Nasal Swab	04.04.2021	Negative
57.	Cov/48099	Ajay Kumar Sahoo	43	Male	Nasal Swab	04.04.2021	Negative
58.	Cov/48100	Swagatika Das	22	Female	Nasal Swab	04.04.2021	Negative
59.	Cov/48101	Lalit Kishore Singh	56	Male	Nasal Swab	04.04.2021	Negative
60.	Cov/48102	Goutam Nag	52	Male	Nasal Swab	04.04.2021	Negative
61.	Cov/48103	Ajay Bauri	25	Male	Nasal Swab	04.04.2021	Negative
62.	Cov/48104	Dhananjay Mandal	45	Male	Nasal Swab	04.04.2021	Negative
63.	Cov/48105	Sailesh Dungdung	72	Male	Nasal Swab	04.04.2021	Negative
64.	Cov/48106	Nandita Routray	49	Female	Nasal Swab	04.04.2021	Negative
65.	Cov/48107	Muskan Oram	15	Female	Nasal Swab	04.04.2021	Negative
66.	Cov/48108	Jyoti Prakash Chiranjiv	22	Male	Nasal Swab	04.04.2021	Negative
67.	Cov/48109	Manorama Jena	53	Female	Nasal Swab	04.04.2021	Negative
68.	Cov/48110	Sujata Dungdung	16	Female	Nasal Swab	04.04.2021	Negative
69.	Cov/48111	Archana Das	26	Female	Nasal Swab	04.04.2021	Negative
70.	Cov/48112	Premodaya Behera	19	Male	Nasal Swab	04.04.2021	Negative
71.	Cov/48113	Sudeep Burh	20	Male	Nasal Swab	04.04.2021	Negative
72.	Cov/48114	Devendar Anand	72	Male	Nasal Swab	04.04.2021	Negative
73.	Cov/48115	Sunita Anand	68	Female	Nasal Swab	04.04.2021	Negative
74.	Cov/48116	Deepika Hansdah	18	Female	Nasal Swab	04.04.2021	Negative
75.	Cov/48118	Susmita Mohanty	20	Female	Nasal Swab	04.04.2021	Negative

Muskan
04/04/2021
डा. राजीव कुमार सेठ
Dr. RAJEEV KUMAR SETH
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Covid-19 (RT-PCR) Test Report

Date and time of reporting	04.04.2021; 03:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	31.03.2021
Date & Time of receipt of specimen	01.04.2021; 10:00 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV
76.	Cov/48120	Sambhuprasad Verma	51	Male	Nasal Swab	04.04.2021	Negative
77.	Cov/48121	Sajal Kumar	61	Male	Nasal Swab	04.04.2021	Negative
78.	Cov/48123	Trilok Kumar Trapathy	52	Male	Nasal Swab	04.04.2021	Negative
79.	Cov/48124	Sabinia Kerketta	23	Female	Nasal Swab	04.04.2021	Negative
80.	Cov/48127	Ramesh Kumar Verma	51	Male	Nasal Swab	04.04.2021	Negative
81.	Cov/48129	Sabitri Lakra	26	Female	Nasal Swab	04.04.2021	Negative
82.	Cov/48131	Mohit Sikaria	24	Male	Nasal Swab	04.04.2021	Negative
83.	Cov/48133	Swarna Prabha Sukla	20	Female	Nasal Swab	04.04.2021	Negative
84.	Cov/48134	Akash Ranjan Samal	29	Male	Nasal Swab	04.04.2021	Negative
85.	Cov/48135	Parvesh Mittal	32	Male	Nasal Swab	04.04.2021	Negative
86.	Cov/48136	Deepak Kumar Dwibedy	50	Male	Nasal Swab	04.04.2021	Negative
87.	Cov/48137	Manohar Parmanik	69	Male	Nasal Swab	04.04.2021	Negative
88.	Cov/48138	Ganesh Pradhan	62	Male	Nasal Swab	04.04.2021	Negative
89.	Cov/48139	Binod Lohar	26	Male	Nasal Swab	04.04.2021	Negative
90.	Cov/48140	Amit Kumar Behera	22	Male	Nasal Swab	04.04.2021	Negative
91.	Cov/48141	Parthasarathi Sharma	25	Male	Nasal Swab	04.04.2021	Negative
92.	Cov/48143	Saif Ali Khan	27	Male	Nasal Swab	04.04.2021	Negative
93.	Cov/48144	Raja Bauri	24	Male	Nasal Swab	04.04.2021	Negative
94.	Cov/48145	Hemanta Kumar Maharana	20	Male	Nasal Swab	04.04.2021	Negative
95.	Cov/48146	Renuka Jaishi	40	Female	Nasal Swab	04.04.2021	Negative
96.	Cov/48147	Reshma Minz	17	Female	Nasal Swab	04.04.2021	Negative
97.	Cov/48148	Anil Sahoo	24	Male	Nasal Swab	04.04.2021	Negative
98.	Cov/48149	Tinku Tirkey	17	Male	Nasal Swab	04.04.2021	Negative
99.	Cov/48150	Lelestian Ekka	28	Female	Nasal Swab	04.04.2021	Negative
100.	Cov/48151	Hitesh Sahoo	19	Male	Nasal Swab	04.04.2021	Negative

Handwritten signature: Rajeev Kumar Seth
डॉ. राजीव कुमार सेठ
Dr. RAJEEV KUMAR SETH
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Covid-19 (RT-PCR) Test Report

Date and time of reporting	04.04.2021; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	31.03.2021
Date & Time of receipt of specimen	01.04.2021; 10:00 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV
101.	Cov/48152	Rashmi Minz	19	Female	Nasal Swab	04.04.2021	Negative
102.	Cov/48153	Laxman Pradhan	34	Male	Nasal Swab	04.04.2021	Negative
103.	Cov/48154	Sandeep Kumar Pahadi	38	Male	Nasal Swab	04.04.2021	Negative
104.	Cov/48155	Trushnita Sahoo	34	Female	Nasal Swab	04.04.2021	Negative
105.	Cov/48156	Pravash Ranjan Khilar	34	Male	Nasal Swab	04.04.2021	Negative
106.	Cov/48157	Upendra Nath Mishra	85	Male	Nasal Swab	04.04.2021	Negative
107.	Cov/48158	Hemlata Mishra	75	Female	Nasal Swab	04.04.2021	Negative
108.	Cov/48159	Basanty Pasayat	32	Female	Nasal Swab	04.04.2021	Negative
109.	Cov/48160	Avinna Kumar Das	46	Male	Nasal Swab	04.04.2021	Negative
110.	Cov/49278	Sachit Anand	20	Male	Nasal Swab	04.04.2021	Negative
111.	Cov/49279	Vanita Anand	46	Female	Nasal Swab	04.04.2021	Negative
112.	Cov/49326	Priyanka Dash	24	Female	Nasal Swab	04.04.2021	Negative
113.	Cov/49327	Bhikari Bara	50	Male	Nasal Swab	04.04.2021	Negative
114.	Cov/49328	Adarsh Jaiswal	16	Male	Nasal Swab	04.04.2021	Negative
115.	Cov/49329	Biju Gope	40	Male	Nasal Swab	04.04.2021	Negative
116.	Cov/49330	Ramesh Chourasia	72	Male	Nasal Swab	04.04.2021	Negative
117.	Cov/49331	Rohini Badaik	55	Female	Nasal Swab	04.04.2021	Negative
118.	Cov/49332	Sumitra Bagh	42	Female	Nasal Swab	04.04.2021	Negative
119.	Cov/49333	Rajendra Bhumij	22	Male	Nasal Swab	04.04.2021	Negative
120.	Cov/49334	Prabhu Dayal Dhanwar	55	Male	Nasal Swab	04.04.2021	Negative
121.	Cov/49335	Jamuni Oram	28	Female	Nasal Swab	04.04.2021	Negative
122.	Cov/49371	Sumitra Nayak	50	Female	Nasal Swab	04.04.2021	Negative
123.	Cov/49372	Dilip Ku Nayak	48	Male	Nasal Swab	04.04.2021	Negative
124.	Cov/49373	Gitanjali Nayak	45	Female	Nasal Swab	04.04.2021	Negative
125.	Cov/49376	Parinita Dutta	40	Female	Nasal Swab	04.04.2021	Negative



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Covid-19 (RT-PCR) Test Report

Date and time of reporting	04.04.2021; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	31.03.2021 & 02.04.2021
Date & Time of receipt of specimen	01.04.2021; 10:00 A.M. & 03.04.2021; 11:50 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV
126.	Cov/49377	Riyan Nayak	21	Male	Nasal Swab	04.04.2021	Negative
127.	Cov/49380	Abhishek Nayak	19	Male	Nasal Swab	04.04.2021	Negative
128.	Cov/49381	Siddhanth Jena	24	Male	Nasal Swab	04.04.2021	Negative
129.	Cov/49382	Akshya Ku Mishra	50	Male	Nasal Swab	04.04.2021	Negative

Prepared by:

Checked and Approved by:

Krishna

Krishna Ch. Majhi

Dr. Rajeev Kr. Seth
डा. राजीव कुमार सेठ

Dr. RAJEEV KUMAR SETH
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

*A repeat sample after proper collection should be sent for the inconclusive results/ inappropriate samples/rejected samples.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR