



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Covid-19 (RT-PCR) Test Report

Date and time of reporting	05.04.2021; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	01.04.2021
Date & Time of receipt of specimen	03.04.2021; 11:50 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV
1.	Cov/48071	Sanjay Ekka	22	Male	Nasal Swab	05.04.2021	Negative
2.	Cov/48977	Ajay Nayak	30	Male	Nasal Swab	05.04.2021	Negative
3.	Cov/48978	Mona Gupta	28	Female	Nasal Swab	05.04.2021	Negative
4.	Cov/48979	Prabir Nayak	48	Male	Nasal Swab	05.04.2021	Negative
5.	Cov/48980	Reena Nayak	43	Female	Nasal Swab	05.04.2021	Negative
6.	Cov/48981	Pratikshya Nayak	13	Female	Nasal Swab	05.04.2021	Negative
7.	Cov/48982	Bansita Nayak	15	Female	Nasal Swab	05.04.2021	Negative
8.	Cov/48983	Pinky Prasad	30	Female	Nasal Swab	05.04.2021	Negative
9.	Cov/48984	Dinesh Induwar	45	Male	Nasal Swab	05.04.2021	Negative
10.	Cov/48985	Monali Ghosh	19	Female	Nasal Swab	05.04.2021	Negative
11.	Cov/48986	Jhasaketan Mahakud	18	Male	Nasal Swab	05.04.2021	Negative
12.	Cov/48987	Peter Sinduri	50	Male	Nasal Swab	05.04.2021	Negative
13.	Cov/48988	Rahul Nanda	17	Male	Nasal Swab	05.04.2021	Negative
14.	Cov/48992	Sanjit Santra	49	Male	Nasal Swab	05.04.2021	Negative
15.	Cov/48993	Amiya Ranjan Pradhan	34	Male	Nasal Swab	05.04.2021	Negative
16.	Cov/48994	Aiswarya Raja Laxmi	21	Female	Nasal Swab	05.04.2021	Negative
17.	Cov/48995	Archana Devi	55	Female	Nasal Swab	05.04.2021	Negative
18.	Cov/48996	Dharani Dhara Samal	71	Male	Nasal Swab	05.04.2021	Negative
19.	Cov/48998	Sakuntalla Majhi	50	Female	Nasal Swab	05.04.2021	Negative
20.	Cov/48999	Mohan Thapa	50	Male	Nasal Swab	05.04.2021	Negative
21.	Cov/49001	Sudeep Sharma	20	Male	Nasal Swab	05.04.2021	Negative
22.	Cov/49000	Chamaklall Mandal	61	Male	Nasal Swab	05.04.2021	Negative
23.	Cov/49001	Sudeep Sharma	20	Male	Nasal Swab	05.04.2021	Negative
24.	Cov/49002	Aneeket Parida	20	Male	Nasal Swab	05.04.2021	Negative
25.	Cov/49003	Umesh Gupta	65	Male	Nasal Swab	05.04.2021	Negative

Handwritten signature
डा. राजीव कुमार सेठ
Dr. RAJEEV KUMAR SETH
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Covid-19 (RT-PCR) Test Report

Date and time of reporting	05.04.2021; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	02.04.2021
Date & Time of receipt of specimen	03.04.2021; 11:50 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV
26.	Cov/49004	Rashimta Rohidas	22	Female	Nasal Swab	05.04.2021	Negative
27.	Cov/49090	Shatabdi Patra	28	Female	Nasal Swab	05.04.2021	Negative
28.	Cov/49091	Mahabir Badiya	20	Male	Nasal Swab	05.04.2021	Negative
29.	Cov/49092	Maneswar Badiya	26	Male	Nasal Swab	05.04.2021	Negative
30.	Cov/49093	Tabassum Khatun	35	Female	Nasal Swab	05.04.2021	Negative
31.	Cov/49157	Rishi Kumar	30	Male	Nasal Swab	05.04.2021	Negative
32.	Cov/49158	Dinesh Kumar Ray	26	Male	Nasal Swab	05.04.2021	Negative
33.	Cov/49159	Sandip Ray	25	Male	Nasal Swab	05.04.2021	Negative
34.	Cov/49160	Zeba Parween	23	Female	Nasal Swab	05.04.2021	Negative
35.	Cov/49161	Santosh Kumar Prasad	45	Male	Nasal Swab	05.04.2021	Negative
36.	Cov/49162	Bishnu Toppo	27	Male	Nasal Swab	05.04.2021	Negative
37.	Cov/49163	Hingraj Singh	51	Male	Nasal Swab	05.04.2021	Negative
38.	Cov/49164	Sashil Sharma	63	Female	Nasal Swab	05.04.2021	Negative
39.	Cov/49165	Budhram Kujur	52	Male	Nasal Swab	05.04.2021	Negative
40.	Cov/49166	Manoj Mahanta	25	Male	Nasal Swab	05.04.2021	Negative
41.	Cov/49167	Bijaya Laxmi Srichandan	58	Female	Nasal Swab	05.04.2021	Negative
42.	Cov/49168	Prajnashree Sahoo	16	Female	Nasal Swab	05.04.2021	Negative
43.	Cov/49169	Sai Bighnash Mishra	14	Male	Nasal Swab	05.04.2021	Negative
44.	Cov/49170	Satyabrata Patayat	32	Male	Nasal Swab	05.04.2021	Negative
45.	Cov/49171	Dhanita Marki	32	Female	Nasal Swab	05.04.2021	Negative
46.	Cov/49172	Imrana Wahab	26	Female	Nasal Swab	05.04.2021	Negative
47.	Cov/49173	Smrutiranjana Nath	21	Male	Nasal Swab	05.04.2021	Negative
48.	Cov/49174	Punyamayi Majhi	20	Female	Nasal Swab	05.04.2021	Negative
49.	Cov/49175	Suchismita Sahoo	33	Female	Nasal Swab	05.04.2021	Negative
50.	Cov/49177	Rakhi Devi	32	Female	Nasal Swab	05.04.2021	Negative

(Signature)
डॉ. राजीव कुमार सेठ
Dr. RAJEEV KUMAR SETH
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Covid-19 (RT-PCR) Test Report

Date and time of reporting	05.04.2021; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	02.04.2021
Date & Time of receipt of specimen	03.04.2021; 11:50 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV
51.	Cov/49178	Md Shamsher	34	Male	Nasal Swab	05.04.2021	Negative
52.	Cov/49179	P Kumar Pande	21	Male	Nasal Swab	05.04.2021	Negative
53.	Cov/49180	Satyaban Mohanta	18	Male	Nasal Swab	05.04.2021	Negative
54.	Cov/49181	Somnath Mundari	19	Male	Nasal Swab	05.04.2021	Negative
55.	Cov/49182	Kishan Kumar Mardi	17	Male	Nasal Swab	05.04.2021	Negative
56.	Cov/49183	Gitanjali Mishra	49	Female	Nasal Swab	05.04.2021	Negative
57.	Cov/49185	Budhram Ekka	43	Male	Nasal Swab	05.04.2021	Negative
58.	Cov/49187	Dillip Kumar Samal	43	Male	Nasal Swab	05.04.2021	Negative
59.	Cov/49188	Prasant Bhoi	33	Male	Nasal Swab	05.04.2021	Negative
60.	Cov/49231	Ankita Kandi	27	Female	Nasal Swab	05.04.2021	Negative
61.	Cov/49431	Deepak K	31	Male	Nasal Swab	05.04.2021	Negative

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Rajeev Kr. Seth

डा. राजीव कुमार सेठ

Dr. RAJEEV KUMAR SETH
Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

*A repeat sample after proper collection should be sent for the inconclusive results/ inappropriate samples/ rejected samples.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

