



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Covid-19 (RT-PCR) Test Report

Date and time of reporting	11.04.2021; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	04.04.2021 & 10.04.2021
Date & Time of receipt of specimen	06.04.2021; 10:35 A.M. & 10.04.2021; 10:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV
1.	Cov/49926	Pratyush Mahanty	14	Male	Nasal Swab	11.04.2021	Negative
2.	Cov/49928	Udipati Bagh	16	Female	Nasal Swab	11.04.2021	Negative
3.	Cov/50484	Utkars Gadodia	34	Male	Nasal Swab	11.04.2021	Negative
4.	Cov/50485	Aswariya Gadodia	22	Female	Nasal Swab	11.04.2021	Negative
5.	Cov/50486	Sabita Senapati	57	Female	Nasal Swab	11.04.2021	Negative

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डा. अशीत भूषण खेस

Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

*A repeat sample after proper collection should be sent for the inconclusive results/ inappropriate samples/ rejected samples.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR